SILAGE WAGONS



NEW ZEALAND MADE HIGH QUALITY FEED OUT SOLUTIONS



HUSTLER'S HERITAGE >

From humble beginnings on a farm in Hawkes Bay, New Zealand in 1961, steady increase has led to the creation of a global company with exceptional foundations. Hustler builds uniquely engineered, world-class products which are formed from an innovative heritage of ingenuity and combined with a wealth of industry knowledge and experience.

Hustler Equipment was founded in Hawke's Bay

First exports to Hawaii, Bermuda, Samoa, Fiji and Australia

First sprayers built

2 year warranty introduced

INDUSTRY 1st

Patented self-steer sprayers introduced

INDUSTRY 1st

- Mast sideshift
- Patented high ground clearance
- Patented high ground clear
 Patented bintipper clamp

INDUSTRY 1st







Front Runner™ front mounted minilift

introduced

Load Floater™ suspension bin fork introduced

Patented CHAINLESS 2000 bale feeder introduced

INDUSTRY 1st

Softarms™ developed for handling wrapped bales

INDUSTRY 1st Equaliser introduced

INDUSTRY 1st

VMX[™] forklifts launched

Patented

INDUSTRY 1st

Patented VS™

high visibility

introduced

CHAINLESS 4000 self loading bale feeder introduced

INDUSTRY 1st

INDUSTRY 1st CHAINLESS 8000 multi-bale feeder

SLX bale feeders launched

SL Range of chain type bale-feeders Large capacity linkage sprayers introduced introduced

> Duraboom, NZ's toughest introduced

INDUSTRY 1st

SL-450T folding extension trough feeder introduced Manufacturing Acquisition -Comby Range

SL360X bale feeder launched

X5000 Series re-developed Chainless bale feeders introduced

Hurricane straw spreader attachment introduced

INDUSTRY 1st Revolutionary Katipo spraver range introduced

SILAGE WAGONS



Silage wagons are a simple and easy to use feeder for farmers feeding silage. Hustler build the toughest silage wagons on the market, which require less maintenance and have a huge ground clearance advantage making for easier operation in rough terrain.

SIDE FEED

- SF 1250 12.5m³ Side Feed
- SF 1500 15m³ Side Feed
- SF 1750 17.5m³ Side Feed
- SF 2000 20m³ Side Feed



CENTRE FEED

- CF 1250 12.5m3 Centre Feed
- CF 1500 15m3 Centre Feed
- CF 1750 17.5m3 Centre Feed
- CF 2000 20m3 Centre Feed



KEY BENEFITS

The SF and CF range of silage wagons, are loaded with unique features that save you time, money and eliminate maintenance and downtime, whilst being incredibly simple and easy to use.

1 RELIABILITY -

Built with an exceptionally strong Mono-Body design, all steel cross members and a strong heavy duty top rail. The main body and feeder section is fabricated of tough 3mm steel plate producing the highest strength to weight ratio on the market. The heavy duty steel floor is fully welded to withstand any punishment eliminating the need to replace broken or rotten floor boards. The steel floor gives less resistance, reducing the power required to shift the load.

LARGEST CONVEX CONVEYOR DRIVE ROLLERS -

By increasing our tapered conveyor roller diameter to nearly double that of other wagons, the belt lasts longer, requires fewer adjustments to get the belt running straight, helps eliminate derailed belts, and reduces the possibility of slipping belts, saving you costly downtime, maintenance and extends the working life.

BEASY TO USE -

Simple single lever control is all it takes to operate the machine. Elevator, conveyor and main floor with load-sensing hydraulics that takes the guesswork out of feeding silage.

4 CLEAN BODY DESIGN -

Fewer ribs in our fully welded side panels reduces friction from the sides of the wagon making it easier to pull the load forward. And our floor chain and bar design sweeps the floor clean right to the edges. Our chains run on top of the floor, rather than in a channel which means the chains aren't exposed to excessive side loads and/or bathing in silage juices. This extends the life of the chains, and reduces maintenance. The bars are fully supported, right to the ends, meaning they can't bend or get caught in the chassis.

VERSATILITY -

The Side Feed model is ideal for trough feeding, feeding under a wire, feeding along a fence line to avoid trampling and general pasture feeding, providing more versatility of use. The wide delivery belt ensures an even unobstructed flow of material to best suit the variety of your silage feeding needs.



COMBY FEEDER RANGE

Hustler's Comby feeders are the most versatile feedout wagons on the market

- 9-24m³ Capacities
- 3-14 Bale capacity
- Any bale type (balage, hay, straw round or square)
- Any silage type (grass, maize, corn)
- Root crops, vegetable & food waste























> SPECIFICATIONS - Side Feed Models

	SF1250	SF1500	SF1750	SF2000
OVERALL LENGTH	6555mm	7335mm	8115mm	8895mm
OVERALL HEIGHT	2680mm	2680mm	2790mm	2790mm
OVERALL WIDTH	2780mm	2780mm	2780mm	2780mm
LOADING HEIGHT	2550mm	2550mm	2660mm	2660mm
BODY STYLE	Tub	Tub	Tub	Tub
CAPACITY	12.5m³	15m³	17.5m³	20m³
FLOOR SPEEDS	Variable	Variable	Variable	Variable
FLOOR CHAIN	2 or 4	4	4	4
DELIVERY	Centre/Side	Centre/Side	Centre/Side	Centre/Side
JACK	HD Screw	HD Screw	HD Screw	HD Screw
AXLES	Tandem	Tandem	HD Tandem	HD Tandem
TYRES	11.5/80 x 15.3	400/60x15.5	400/60 x 22.5	400/60 x 22.5
TARE WEIGHT	2740kg	3250kg	3700kg	4100kg

^{*}Capacity quoted is level load









COMBY SPREAD

OPTIONAL CAUSMAG SPREADER

The patented Comby Spread has been designed especially for spreading Causmag directly onto the row of feed. This convenient spreader mounts easily on the side of any feed out machine. This invention eliminates the need for a separate spreading operation in the field and the hazards and corrosion associated with spreading Causmag over the load in a feed out wagon.



The hydraulics plumb into the main hydraulic supply and has a flow adjuster to regulate the feed rate.

This unit controls the special auger which delivers a measured amount of Causmag onto the row with the assistance of a high velocity blower to ensure an even dusting.

The delivery of product is via a flexible stainless steel tube. Spreading can be turned on/off on demand from the tractor seat using in-cab control unit.

The Comby Spread is constructed of 3mm steel plate incorporating a rain proof lid and powder coat finish.

The adjustable stainless chute allows placement of the mineral or grain on top of or beside the feed row and can be locked in place.



LIGHT KIT

The optional road light kit comes with marker lights on the front and stop/tail/indicator lights and hazard panels on the rear of the machine.

LED lights are used for reliability and comes ready to plug into the tractor's standard trailer light plug.

BRAKES

Choose between 2 wheel or 4 wheel hydraulic activated drum brakes.

Brakes provide extra safety when feeding on rolling terrain.

REMOTE GREASING

As standard the difficult to reach grease points are remotely mounted to simplify greasing.

Optional fully remote greasing can be specified as a factory fitted spec.



ONBOARD SCALES

OPTIONAL EXTRAS

Our silage wagons have a unique load cell weighing system that means the wagon can be a one piece structure, rather than a separate chassis and body. This unique system adds a large amount of strength to the machine. The design means you get accurate weights when the machine is off the tractor for loading and whilst attached when feeding out.

The monitor is on a swing arm so it can be swung out for visibility whilst loading.



LOAD CELL SCALES

The unique design utilises 4 load cells for 1250 & 1500 and 6 cells for the 1750 & 2000 models.

Round load cells are used because they're tougher, withstand flexing and are more reliable than the traditional square cells.

HEAVY DUTY BATTERY

The machine is fitted with its own battery meaning one less plug to connect to the tractor.


The wireless scale option allows the monitor to be mounted in the cab of the feed out tractor.

HARDWIRED SCALES

The scales are available mounted on a swinging arm on the feedout wagon for easy visibility.

WIRELESS SCALES

The wireless option allows the operator to have the scales mounted inside the tractor cab. Shown below.



COMBY FEEDERS

Hustler's Comby feeder wagons are the only feeders that reliably feed out every type of supplementary feed without jamming or blocking and being hydraulically powered they're more reliable with fewer moving parts.



Super Comby

- 10.5m³ level load
- 13m³ heaped
- 15.5m³ with rear bin heaped
- 4-6 Square bales
- 4-6 Round bales

Comby PR Series

- 13.5m³ level load
- 16m³ heaped
- 6-12 Square bales
- 4-5 Round bales

Mega Comby XL

- 20m³ level load
- 24.5m³ heaped
- 14 Square bales14 Round bales



OTHER MODELS AVAILABLE: - Comby, Super Comby EX, Mega Comby X

TIP TRAILERS

The world's best farmers have been asking for a strong trailer, with a longer lasting steel deck, reinforced sides that handle a beating from rocks, and a twist resistant structure to prevent roll-over when tipping. Available in 6, 8, 10 & 12 tonne models

- Toughest axle assembly
- More tipping power
- Strongest tail-door
- Tough reinforced, removable sides





SWIFTHITCH

Connect to trailers and feed out wagons faster!

The Swift Hitch provides the operator with better visibility, more manoeuvrability and easier connecting than any towbar quick hitch on the market which makes it easier to use and saves your precious time. And it doesn't stop there... it also has the strongest latching system providing more safety and you'll never need to get the grinder and welder out to replace a wear pad again!

THE HUSTLER FAMILY

Hustler build the world's most productive livestock feeding equipment, bale handlers and pasture sprayers that save operators time, reduce costs, and simplify everyday farming life.

CHAINLESS BALE FEEDERS

The innovative, ultra-reliable Chainless® bale feeders without feed chains, will feed out almost any type of bale you have on hand.

Feeds out

- Any square and round bale
- Any bale type
- Frozen bales
- Teases hay apart maximising feed use
- Infinitely variable feed control



Chainless X2500

- 3pt mounted, patented self-loading
- 1 bale capacity
- · Up to 5 ft wide bales



Chainless XR1500

- Stationary rebaling feeder
- 1 bale capacity
- Up to 4 ft wide bales



Chainless X5000

- Trailed, self-loading
- 2 bale capacity
- Up to 5 ft wide bales
- Total Control Loading

SL BALE FEEDERS

The SL range of feeders provide an economical option for farmers who primarily feed out round bales.

Feeds out

- Round bales of hay or silage
- Some square bales (with optional side bars)
- Easy to use single lever feed control
- Toughest chain and feedbars on the market



SL360X

- · 3pt mounted, self-loading
- 1 bale capacity
- Up to 5 ft wide bales
- Snaplox auto connection system provide hands-free loading from either end.



SL450X

- 3pt mounted, self-loading
- 1 bale capacity
- Up to 5 ft wide bales
- · Adjustable extension for feeding into troughs



SL700X

- · Trailed, self-loading
- 2 bale capacity
- Up to 5 ft wide bales
- Total Control Loading

SOFTHANDS BALE HANDLERS

Hustler's full range of bale handlers offer a model to suit every farm size, built tough with a unique design.

Unique features include

- 3 position adjustable hands to suit any bale size (except CXR)
- Patented equaliser
- Slim hands for close stacking
- Wide range of loader mounts



CXR Softhands

- · Farmers handler
- Round bales
- 1 tonne capacity



- Up to 1000 bales/yr

Compact Softhands

- Farmers handler
- Round and square bales
- · 1 tonne capacity • Up to 1000 bales/yr



Mega Softhands

- Contractors handler
- Round and square bales
- 2 tonne capacity
- 100,000+ bales/yr

SPRAYERS

Hustler's range of boom sprayers embody a raft of new features never seen before - all designed to make spraying safer, easier and more accurate.

Unique features include

- MixMax agitation system
- Unique low profile chassis/tank designs
- Unbeatable boom designs and durability
- Superior boom suspension technology
- Custom build option available



Katipo 680

- Manual controls
- 680 litre capacity
- 6-10 metre manual fold boom



Katipo 890

- Manual controls
- 890 litre capacity
- 8-12 metre manual fold booms
- 50 metre folding hose reel and spray gun



Katipo 1150

- Electric in-cab controls
- 1150 litre capacity
- 10-12 metre hydraulic folding booms

* Specifications may vary from country to country.

FREECALL 0800 487 853 Global Headquarters + 646 879 7926 or visit: www.hustlerequipment.com

NEW ZEALAND

Freecall: 0800 487 853 Aftersales: 06 873 9520

Email: parts@hustlerequipment.com

GLOBAL HQ

Hastings, 4153 New Zealand

AUSTRALIA HQ

Shepparton, 3630 Victoria Australia

NORTH AMERICA HQ

Burnsville, 55306 Minnesota USA

EUROPE HQ

Zurich, 8760 Switzerland

