


Rotary Cutters

RCF2784 & RCR2684 S/N 1180234+



30697



326-364P Parts Manual



Read the Operator's Manual entirely. When you see this symbol, the subsequent instructions and warnings are serious - follow without exception. Your life and the lives of others depend on it!

© Copyright 2020 Printed 07/14/20

Cover photo may show optional equipment not supplied with standard unit.



Table of Contents

Section 1: Introduction.....	4
Using This Manual.....	4
Manual Replacement Information.....	4
Manual Revisions.....	4
Touch-up Paint.....	4
Hardware Legend.....	5
Replacement Hardware.....	5
Serial Numbers.....	5
Part Number Service Coding.....	5

RCF2784 SERIES

Section 2: Deck.....	6
Deck Components.....	6
Hitch 3-Point.....	8
Transport Tounge Pull Type.....	10
Section 3: Blade Drive.....	12
Blade Carrier.....	12
Blade Drive 3-Point.....	14
Blade Drive Pull Type.....	16
Driveline 540 RPM (826-151C) Eurocardan.....	18
Driveline Jackshaft (826-152C) EC New Shielding.....	20
Driveline Slip Clutch (1466030).....	22
Driveline W/ Slip Clutch (826-673C).....	24
Gearbox (826-377C) Comer.....	26
Section 4: Tailwheels.....	28
3-Point Dual Gauge Wheel.....	28
3-Point Single Gauge Wheel.....	30
Axle Lift Hydraulic or Manual.....	32
Hub & Spindle Assembly (327-242S).....	34
Hub Assembly (815-236C).....	36
Hydraulic Cylinder (810-200C) Midway.....	38
Hydraulic Cylinder (810-200C) Red Lion.....	40
Transport Axle Pull Type S/N 1399179-.....	42
Transport Axle Pull Type S/N 1399180+.....	44
Transport Axle Pull Type With Spindles (327-292S).....	46
Section 5: Guards.....	48
Guard Chain Double Front.....	48
Guard Chain Double Rear S/N 1151354-.....	50
Guard Chain Double Rear S/N 1151355+.....	52
Guard Chain Single Front.....	54
Guard Chain Single Rear S/N 1151354-.....	56
Guard Chain Single Rear S/N 1151355+.....	58
Guard Rubber Front.....	60
Section 6: Decals.....	62
Decal Placement 3-Point.....	62
Decal Placement Pull Type.....	64
Touch-up Paints - LP.....	66

RCR2684 SERIES

Section 2: Deck.....	68
Deck Components.....	68
Driveline Hook.....	70
Hitch 3-Point.....	72
Manual Tube.....	74
Section 3: Drive & Blades.....	76
Blade Carrier.....	76
Drive Components.....	78
Section 4: Tailwheels.....	80
3-Point Dual Gauge Wheel.....	80
3-Point Single Gauge Wheel.....	82
Hub Assembly 4-Bolt W/ Zerk & Studs (815-092C).....	84
Ratchet Height Adjustment.....	86
Section 5: Guards.....	88
Guard Chain Single Front.....	88
Guard Chain Single Rear.....	90
Section 6: Drivelines.....	92
Driveline Slip Clutch (1466030).....	92
Driveline W/ Slip Clutch (826-673C).....	94
Section 7: Gearboxes.....	96
Gearbox (826-377C) Comer.....	96
Section 8: Decals.....	98
Decal Placement.....	98
Touch-up Paints - LP.....	100

Part Number Index.....	102
-------------------------------	------------

© Copyright 2020. All rights reserved.

Land Pride provides this publication "as is" without warranty of any kind, either expressed or implied. While every precaution has been taken in the preparation of this manual, Land Pride assumes no responsibility for errors or omissions. Neither is any liability assumed for damages resulting from the use of the information contained herein. Land Pride reserves the right to revise and improve its products as it sees fit. This publication describes the state of this product at the time of its publication, and may not reflect the product in the future. The illustrations in this manual are not intended for safe and proper assembly or disassembly of equipment. The illustrations are intended for ordering parts only.

Land Pride is registered trademark.

All other brands and product names are trademarks or registered trademarks of their respective holders.

Printed in the United States of America.



Alphabetized Table of Contents

RCF2784 SERIES

3

3-Point Dual Gauge Wheel.....	28
3-Point Single Gauge Wheel.....	30

A

Axle Lift Hydraulic or Manual.....	32
------------------------------------	----

B

Blade Carrier.....	12
Blade Drive 3-Point.....	14
Blade Drive Pull Type.....	16

D

Decal Placement 3-Point.....	62
Decal Placement Pull Type.....	64
Deck Components.....	6
Driveline 540 RPM (826-151C) Eurocardan.....	18
Driveline Jackshaft (826-152C) EC New Shielding.....	20
Driveline Slip Clutch (1466030).....	22
Driveline W/ Slip Clutch (826-673C).....	24

G

Gearbox (826-377C) Comer.....	26
Guard Chain Double Front.....	48
Guard Chain Double Rear S/N 1151354-.....	50
Guard Chain Double Rear S/N 1151355+.....	52
Guard Chain Single Front.....	54
Guard Chain Single Rear S/N 1151354-.....	56
Guard Chain Single Rear S/N 1151355+.....	58
Guard Rubber Front.....	60

H

Hitch 3-Point.....	8
Hub & Spindle Assembly (327-242S).....	34
Hub Assembly (815-236C).....	36
Hydraulic Cylinder (810-200C) Midway.....	38
Hydraulic Cylinder (810-200C) Red Lion.....	40

T

Touch-up Paints - LP.....	66
Transport Axle Pull Type S/N 1399179-.....	42
Transport Axle Pull Type S/N 1399180+.....	44
Transport Axle Pull Type With Spindles (327-292S).....	46
Transport Tounge Pull Type.....	10

RCR2684 SERIES

3

3-Point Dual Gauge Wheel.....	80
3-Point Single Gauge Wheel.....	82

B

Blade Carrier.....	76
--------------------	----

D

Decal Placement.....	98
Deck Components.....	68
Drive Components.....	78
Driveline Hook.....	70
Driveline Slip Clutch (1466030).....	92
Driveline W/ Slip Clutch (826-673C).....	94

G

Gearbox (826-377C) Comer.....	96
Guard Chain Single Front.....	88
Guard Chain Single Rear.....	90

H

Hitch 3-Point.....	72
Hub Assembly 4-Bolt W/ Zerk & Studs (815-092C).....	84

M

Manual Tube.....	74
------------------	----

R

Ratchet Height Adjustment.....	86
--------------------------------	----

T

Touch-up Paints - LP.....	100
---------------------------	-----

General Information

Using This Manual

This manual is divided into sections. The first section contains General Information. The remaining sections divide the machine into segments (i.e. Frames, Drives, Hydraulics, etc.) which illustrate and list all parts. A Parts Number Index is located at the back of the book.

The Land Pride parts in this manual are specially designed for this machine and should be replaced with Land Pride parts only.

The information in this manual is current at time of printing. Some parts may change to assure top performance.

Right-hand and left-hand as used in this manual are determined by facing the direction the machine will travel while in use.

Below is an example of two facing pages from a parts manual. Familiarize yourself with the type of information contained on these pages.


Manual Replacement Information

Replacement manuals are available. Refer to our website at www.landpride.com or e-mail us at lit@landpride.com for additional information. Our website continues to provide the most up-to-date manuals available.

Touch-up Paint

Repaint parts where paint is worn or scratched to prevent rust. Aerosol cans and touch-up bottles with brush applicator are available through your local dealer. Also available are quart and gallon size paints. Add QT or GL to end of the Aerosol P/N.

Land Pride color descriptions and part numbers are listed on the "Land Pride Touch-up Paints" page in the "Decals" section of this book. Color options vary by product.



General Information

Hardware Legend

AR	As Required
BLADE	Blade Bolt
C	Cap Screw
CP	Cotter Pin
CPHSSS	Cup Point Hex Socket Set Screw
CPSHSS	Cup Point Square Head Set Screw
CPSQHSS	Cup Point Square Head Set Screw
CRFCHMS3	Cross Recess Flat Countersunk Head Machine Screw
CRPHMS	Cross Recess Pan Head Machine Screw
CRPHTF	Cross Recess Pan Head Thread Forming
CRRHMS	Cross Recess Round Head Machine Screw
CRTHMS	Cross Recess Truss Head Machine Screw
CSNB	Countersunk Square Neck Bolt
FHMS	Flat Head Machine Screw
FTC	Full Thread Cap Screw
H	Hex Nut
HCLN	Hex Center Lock Nut
HFLCS	Hex Flange Lock Cap Screw
HFS	Hex Flange Screw
HFSLN	Hex Flange Serrated Lock Nut
HFSS	Hex Flange Serrated Screw
HHCS	Hex Head Cap Screw or Metric Bolt
HSBHCS	Hex Socket Button Head Cap Screw
HSFCHCS	Hex Socket Flat Countersunk Head Cap Screw
HSCHCS	Hex Socket Head Cap Screw
HSSS	Hex Socket Head Screw
HTLN	Hex Top Lock Nut
HWHCS	Hex Washer Head Cap Screw

HWHMS	Hex Washer Head Machine Screw
HXBHCS	Hex Socket Button Head Cap Screw
J	Hex Jam Nut
JIC	37 Degree Tapered Thread
L	Helical Spring Lock Washer
LUG	Lug Bolt
NFC	National Fine Cap Screw
NPSM	National Pipe Straight Mechanical
NPTF	National Pipe Taper Fuel
P	Wide Plain Washer
PHMS	Pan Head Machine Screw
PLW	Plow Bolt
RHMS	Round Head Machine Screw
RHSNB	Round Head Square Neck Bolt
SCREW LEVELING	Leveling Screw
SCREW THUMB	Thumb Screw
SCREW WELD	Weld Screw
SFCHMS	Slotted Flat Countersunk Head Machine Screw
SFHMS	Slotted Fillister Head Machine Screw
SP	Special
SP SCREW	Special Screw
SOHSS	Square Head Set Screw
SRHMS	Slotted Round Head Machine Screw
SSS	Socket Set Screw
STCS	Self Tapping Cap Screw
STHMS	Slotted Truss Head Machine Screw
WHEEL	Wheel Studs and Hub Long Bolts
WING	Wing Bolt

Replacement Hardware

The **Hardware Legend** above lists hardware abbreviations used in the parts list. All bolts and nuts are Grade 5 unless otherwise noted. The use of improper grades of hardware can result in personal injury, damage to equipment, or loss of property.

Colored Replacement Parts

Land Pride offers replacement parts in factory standard colors and also on select models in Green, Orange, Red and Blue. Because of the variety of colors available, special attention must be given to the part number to prevent ordering the wrong replacement part.

A suffix number corresponding to one of the colors below must be added at the end of Land Pride's part number when ordering a replacement part with that color.

81 Green	83 Red
82 Orange	84 Blue

For example, if you are ordering a replacement part with part number 555-555C and the part you need is red, then add the suffix 83 to the end of the number to make the part number read 555-555C83. Parts ordered without a suffix number will be supplied in factory standard colors.

Black Replacement Parts

Some parts are factory standard black and some must be special ordered black. If your part is special ordered black, a second part number with the additional suffix number 85 on the end will be available. In this situation you must order that part with the suffix number for it to be black. Parts that are factory standard black will not have the suffix number.

Part Number Service Coding

Within the parts list some part numbers are coded for revisions and interchangeability. See notations in revision column.


Serial Numbers

Always use the serial and model number when ordering parts. Refer to the Operator's Manual for serial number plate location.

(S/N 20001+)	Includes serial numbers 20001 and above (to the latest number)
(S/N 10001 to 20000)	Includes serial numbers between and including 10001 and 20000
(S/N 10000-)	Includes serial numbers 10000 and below (to the earliest number)

Deck Components

Applies to RCF2784



30698


Deck Components

Applies to RCF2784

Ref	Part No.	Part Description	Comments	Revision
	Dwg 30698	Drawing Image Number		
1.	326-221D	SKID SHOE		
2.	326-326H	DECK RCF2784 WLDMT		
2.	326-326H81	DECK RCF2784 WLDMT GREEN		
2.	326-326H82	DECK RCF2784 WLDMT ORANGE		
2.	326-326H83	DECK RCF2784 WLDMT RED		
3.	327-655D	84" REAR BAND	S/N 1151355+ (Standard equipment)	
4.	802-183C	RHSNB 1/2-13X1 GR5	S/N 1151355+ (Standard equipment)	
5.	802-224C	HHCS 1/4-20X1 1/4 GR5		
6.	802-603C	PLOW 3/8-16X1 GR5		
7.	803-037C	NUT HEX WHIZ 1/2-13 PLT GR5	S/N 1151355+ (Standard equipment)	
8.	803-198C	NUT HEX WHIZ 3/8-16 PLT		
9.	803-255C	NUT HEX NYLOCK 1/4-20		
10.	804-007C	WASHER FLAT 1/4 SAE PLT		
11.	816-504C	MANUAL STORAGE CONTAINER		

Hitch 3-Point

Applies to RCF2784




30699

Hitch 3-Point**Applies to RCF2784**

Ref	Part No.	Part Description	Comments	Revision
	dwg30699	Drawing Image Number		
1.	300-236D	HITCH PIN CAT. II & III		
2.	312-821D	BSHG 1 1/4 ODX1 1/32 IDX2 1/16 LG		
3.	312-822D	REAR BRACE SHORT		
4.	326-591D	HITCH MOUNT BSHG		
5.	326-629D	BSH 1.12 ODX.69 IDX.41 L		
6.	326-717D	HITCH STRAP LH 84		
7.	326-718D	HITCH STRAP RH 84		
8.	326-719D	REAR BRACE 84		
9.	327-143S	DRIVELINE HOLDER W/HARDWARE	S/N 945241+	
10.	802-053C	HHCS 5/8-11X1 3/4 GR5		
11.	802-098C	HHCS 1-8X4 1/2 GR5		
12.	802-184C	HHCS 3/4-10X1 1/2 GR5		
13.	802-908C	HHCS 7/8-9X2 1/2 GR5		
14.	803-026C	NUT LOCK 3/4-10 PLT		
15.	803-028C	NUT NY-LOK 7/8-9 PLT		
16.	803-258C	NUT HEX FLG LOCK 1-8 GR B PLT		
17.	803-263C	NUT HEX FLANGE LOCK 5/8-11 PLT		
18.	804-019C	WASHER FLAT 5/8 USS PLT		
19.	804-029C	WASHER FLAT 1 SAE		
20.	804-134C	WASHER FLAT 7/8 USS PLT		
21.	805-017C	PIN COTTER 3/16 X 1 3/4 PLT		
22.	805-088C	PIN, HAIR COTTER 3/16 WIRE DIA		
23.	805-090C	PIN CLEVIS 1 X 3 3/16 LG		
24.	805-103C	PIN LINCH 7/16 X 1 3/4		
25.	805-124C	PIN CLEVIS 1 X 3 11/16 GR5 PLT		
26.	805-137C	PIN CLEVIS 1 X 2 PLT		
27.	890-940C	ADAPTER BUSHING CAT II 2-1/2"L		
28.	326-607A	TOP 3PT CAT2 TO CAT1 CONV KIT	Service Kit See Section 4	
29.	802-010C	HHCS 5/16-18X1 1/4 GR5	S/N 945241+	
30.	802-138C	HHCS 5/16-18X2 1/4 GR5	S/N 945241+	
31.	803-177C	NUT HEX LOCK 5/16-18 FLG.	S/N 945241+	
32.	804-036C	WASHER FLAT 5/16 SAE PLT	S/N 945241+	
33.	807-350C	SPRING TORSION DRIVELINE HLDER	S/N 945241+	
34.	837-062C	DRIVELINE HOOK	S/N 945241+	
35.	837-063C	MOUNT DRIVELINE HOOK	S/N 945241+	

Transport Tounge Pull Type

Applies to RCF2784



30705


Transport Tounge Pull Type

Applies to RCF2784

Ref	Part No.	Part Description	Comments	Revision
	dwg30705	Drawing Image Number		
1.	300-236D	HITCH PIN CAT. II & III		
2.	312-421H	CLEVIS WELDMENT		
3.	312-423H	PARKING JACK SUPPORT		
4.	312-733D	TUBE 1 5/8 OD X 7/32 WL X1 LG.		
5.	318-008H	WLDMT. LEVEL ROD SHORT		
6.	326-298H	LEVEL ROD LONG		
7.	326-331H	TONGUE WLDMT RCF2784		
8.	802-074C	HHCS 1-8X6 1/2 GR5		
9.	802-096C	HHCS 1-8X2 1/2 GR5		
10.	802-098C	HHCS 1-8X4 1/2 GR5		
11.	802-392C	HHCS 3/4-10X1 3/4 GR5		
12.	803-026C	NUT LOCK 3/4-10 PLT		
13.	803-031C	NUT HEX 1-8 PLT		
14.	803-075C	NUT HEX JAM 7/8-9		
15.	803-265C	NUT HEX COUPLER 7/8-9 x 5		
16.	804-025C	WASHER FLAT 3/4 SAE PLT		
17.	804-027C	WASHER LOCK SPRING 1 PLT		
18.	804-028C	WASHER FLAT 1 USS PLT		
19.	804-125C	WASHER BELLEVILLE 1ID		
20.	805-045C	PIN COTTER 5/32 X 1 1/4 LG		
21.	805-083C	PIN CLEVIS 3/4 X 1 1/2		
22.	805-103C	PIN LINCH 7/16 X 1 3/4		
23.	890-118C	SCREW JACK 2000# 14-24 TOP-WND		
24.	890-182C	SAFETY CHAIN 10000 LB		

Blade Carrier

Applies to RCF2784



30701

Blade Carrier**Applies to RCF2784**

Ref	Part No.	Part Description	Comments	Revision
	Dwg 30701	Drawing Image Number		
1.	312-082D	RPBY 312-808D QTY 2	As Required S/N 776426-	
1.	312-075D	BLADE SPACER 16 GA. .064 Thick	As Required S/N 776426-	
1.	312-089D	BLADE SPACER 20 GA. .04 Thick	As Required S/N 776426-	
1.	312-808D	BLADE SPACER 24 GA. .03 Thick	As Required S/N 776426-	
2.	312-818H	27 DISHPAN WLDMT LG.HUB(COMER)		
3.	N/A	RCR2684 BLADE CARRIER ASSY		
4.	802-277C	BLD BLT 1 1/8-12X3.44 W/.25KEY		
5.	803-170C	NUT HEX TOP LOCK 1 1/8-12 PLT.		
6.	804-147C	WASHER FLAT 1" HARDENED		
7.	820-138C	CUTTER BLADE 1/2 X 4 X 31 CCW		
8.	318-586A	BLADE BOLT KIT	Item 1 not included	


Applies to RCF2784

Blade Drive 3-Point**Applies to RCF2784**

Ref	Part No.	Part Description	Comments	Revision
	Dwg 30700	Drawing Image Number		
1.	8.2.2.00555	CO NUT, CASTLE M30 X 2		
2.	8.4.7.00146	CO COTTER PIN B6 X 60		
3.	0.139.7101.00	CO BLANK WASHER		
4.	N/A	SEE BLADE CARRIER FOR COMPONENTS		
5.	802-007C	HHCS 5/16-18X3/4 GR5		
6.	802-065C	HHCS 3/4-10X2 1/4 GR5		
7.	803-299C	NUT HEX FLG TOP LK 3/4-10 PLT		
8.	804-009C	WASHER LOCK SPRING 5/16 PLT		
9.	804-010C	WASHER FLAT 5/16 USS PLT		
10.	826-377C	GBOX RC25 1.38-6 1:1.21 STD.		
11.	826-490C	COMER U0.210.7100.00 DIPSTICK		
12.	826-673C	DRVLN C4 44 1.38-6 QD CLTCH		
13.	837-101C	LAND PRIDE CONE		
13.	826-648C	LARGE SHAFT CONE W ACCESS DOOR	This cone has been replaced with 837-101C	

Blade Drive Pull Type

Applies to RCF2784




30706

Blade Drive Pull Type**Applies to RCF2784**

Ref	Part No.	Part Description	Comments	Revision
	Dwg 30706	Drawing Image Number		
1.	8.2.2.00555	CO NUT, CASTLE M30 X 2		
2.	8.4.7.00146	CO COTTER PIN B6 X 60		
3.	0.139.7101.00	CO BLANK WASHER		
4.	312-681S	TRUNION ASY		
5.	312-715D	PIPE 1/2 SCH. 40 X 4 15/16		
6.	N/A	SEE BLADE CARRIER FOR COMPONENTS		
7.	312-833D	SUPPORT UPRIGHT TRUNION		
8.	312-999D	CASTING TRUNION MACHINED		
9.	326-002D	TUBE 1 OD X 11/16 LG. X 5/32w		
10.	800-069C	SNAP RING INT 2.835		
11.	802-007C	HHCS 5/16-18X3/4 GR5		
12.	802-065C	HHCS 3/4-10X2 1/4 GR5		
13.	802-146C	HHCS 5/8-11X7 1/2 GR5		
14.	802-260C	HHCS 1/2-13X7 GR5		
15.	803-019C	NUT LOCK 1/2-13 PLT		
16.	803-021C	NUT HEX 5/8-11 PLT		
17.	803-299C	NUT HEX FLG TOP LK 3/4-10 PLT		
18.	804-009C	WASHER LOCK SPRING 5/16 PLT		
19.	804-010C	WASHER FLAT 5/16 USS PLT		
20.	804-021C	WASHER FLAT 5/8 SAE PLT		
21.	804-022C	WASHER LOCK SPRING 5/8 PLT		
22.	822-100C	BRG INS 1.37IDX2.83OD LOCK		
23.	826-151C	RPBY 826-892C	S/N 1457365- (Obsolete)	
23.	826-892C	DRVLN C4 20F 1.38-6 QD	S/N 1457366+	
24.	826-152C	PTO CAT. 4 X 49.21 JACKSHAFT		
25.	826-377C	GBOX RC25 1.38-6 1:1.21 STD.		
26.	826-490C	COMER U0.210.7100.00 DIPSTICK		
27.	837-101C	LAND PRIDE CONE		
27.	826-648C	LARGE SHAFT CONE W ACCESS DOOR	This cone has been replaced with 837-101C	
28.	840-273C	PLUG LP 3" ID RUBBER		

Driveline 540 RPM (826-151C) Eurocardan

Applies to RCF2784




16610

Driveline 540 RPM (826-151C) Eurocardan**Applies to RCF2784**

Ref	Part No.	Part Description	Comments	Revision
	Dwg 16610	Drawing Image Number		
	826-151C	RPBY 826-892C	Obsolete	
		*		
1.	1786710	EC TUBE BEARING (OUTER TUBE)		
2.	1215733	EC STIFFENING RING		
3.	1885704	EC LONG CONE		
4.	1215735	EC STOP RING		
5.	1885709	EC SAFETY SLEEVE		
6.	1876030D	EC OUTER TUBE SHIELD		
7.	1885703	EC STANDARD CONE		
8.	1006020	EC CROSS ASSEMBLY		
9.	1706027	EC OUTER TUBE YOKE		
10.	6331080	EC 10X80-DIN-1481 O/TUBE R/PIN		
11.	1528040D	EC OUTER TUBE		
12.	818-540C	DECAL DANGER GUARD MISS PTO		
13.	818-552C	DECAL DANGER PTO DRIVELINE		
14.	044321	DRIVELINE SHIELD SAFETY CHAIN	S/N 928934-	
15.	6560508	EC GREASE ZERK 8X1 45 DEG.		
16.	1016013	EC YOKE ASSEMBLY		
17.	1004227	EC PULL COLLAR KIT EVOLUTION		
18.	826-578C	SHIELD KIT, 826-151C		

Driveline Jackshaft (826-152C) EC New Shielding

Applies to RCF2784



16173


Driveline Jackshaft (826-152C) EC New Shielding

Applies to RCF2784

Ref	Part No.	Part Description	Comments	Revision
	dwg16173	Drawing Image Number		
	826-152C	PTO CAT. 4 X 49.21 JACKSHAFT		
1.	1786711	EC TUBE BEARING (INNER TUBE)		
2.	1215733	EC STIFFENING RING		
3.	1885702	EC SHORT CONE		
4.	1215735	EC STOP RING		
5.	1885709	EC SAFETY SLEEVE		
6.	1877092	EC INNER TUBE SHIELD 920MM		
7.	044321	DRIVELINE SHIELD SAFETY CHAIN	S/N 928934-	
8.	1876092	EC OUTER TUBE SHIELD 920MM		
9.	1885705	EC EXTRA SHORT CONE (FOR MX)		
10.	1786710	EC TUBE BEARING (OUTER TUBE)		
11.	1896097N327	EC OUTER TUBE ASSY		
12.	6331070	EC 10X70 ROLL PIN		
13.	1526098	EC INNER TUBE 980MM		
14.	1706029	EC INNER TUBE YOKE		
15.	1006020	EC CROSS ASSEMBLY		
16.	1466030	TORQUE LIMITER 4 FRICTION DISK		
17.	818-552C	DECAL DANGER PTO DRIVELINE		
18.	818-540C	DECAL DANGER GUARD MISS PTO		
19.	6560508	EC GREASE ZERK 8X1 45 DEG.		
20.	6561306	EC GREASE ZERK M6X1 EXTRA SHRT		
21.	826-579C	SHIELD KIT, 826-152C		

Driveline Slip Clutch (1466030)

Applies to RCF2784



13692


Driveline Slip Clutch (1466030)

Applies to RCF2784

Ref	Part No.	Part Description	Comments	Revision
	dwg13692	Drawing Image Number		
	1466030	TORQUE LIMITER 4 FRICTION DISK		
1.	1421010	EC COMPLETE BOLT M10X100(HUB)		
2.	1215012	EC CLUTCH SPRING		
3.	1706033	EC CLUTCH YOKE W/FLANGE		
4.	1705009	EC CLUTCH BUSHING		
5.	1808010	EC CLUTCH LINING RING		
6.	1708034	EC CLUTCH MIDDLE DISK		
7.	1138008	EC INNER DISK		
8.	1708018	EC CLUTCH HUB W/FLANGE		
9.	1341270	EC COMPL. CONN. BOLT M12X70		
10.	1138007	EC PRESSURE DISK		

Driveline W/ Slip Clutch (826-673C)

Applies to RCF2784




Driveline W/ Slip Clutch (826-673C)**Applies to RCF2784**

Ref	Part No.	Part Description	Comments	Revision
	Dwg 30694	Drawing Image Number		
	826-673C	DRVLN C4 44 1.38-6 QD CLTCH *		
1.	141.025.363.1	CO COMPLETE COLLAR YOKE C12		
2.	180.015.130	COMER CROSS JOURNAL SET		
3.	146.254.015.1	CO DISC CLUTCH F42 (11350 NM)		
4.	8180.015.288	CO GUARD RETAIN COLLAR OUT TB		
5.	8180.014.240	COMER BOLT		
6.	8180.015.289	CO GUARD RETAIN COLLAR INNR TB		
7.	044321	DRIVELINE SHIELD SAFETY CHAIN	S/N 928934-	
8.	142.250.3657521	COMPLETE GUARD W/INSTRUC		
9.	180.014.022	COMER SPRING		
10.	151.015.038.1	CO FLANGED YOKE		
11.	180.019.019	COMER BUSH		
12.	180.019.340	COMER LINING RING		
13.	165.000.502	COMER NUT & BOLT M12X1.25X65		
14.	151.019.011.1	CO CLUTCH SUPPORT F42		
15.	180.019.014	COMER INNER PLATE		
16.	180.019.115	COMER INTERMEDIATE PLATE		
17.	180.019.116.1	COMER PRESSURE PLATE		
18.	165.000.548	COMER BOLT WITH NUT M10X100		
19.	8123.350.097.11	CO HALF FEMALE SHFT W/GUARD		
20.	8123.450.295.11	CO HALF MALE SHAFT W/GUARD		
21.	190.000.098	COMER DANGER LABEL OUTER TUBE		
22.	190.000.099	COMER DANGER LABEL GUARD OUTER		
23.	165.000.628	COMER COLLAR KIT 1-3/8 YOKE		

Gearbox (826-377C) Comer

Applies to RCF2784




26957

Gearbox (826-377C) Comer**Applies to RCF2784**

Ref	Part No.	Part Description	Comments	Revision
	Dwg 26957	Drawing Image Number		
	826-377C	GBOX RC25 1.38-6 1:1.21 STD. *		
1.	0.210.2000.00	CO INPUT SHAFT 1.38-6		
2.	8.7.3.00331	CO OIL SEAL 45 X 85 X 10		
3.	8.5.2.00332	CO SNAP RING UNI 7437		
4.	0.709.7500.00	CO SHIM 84.7		
5.	8.0.9.00143	CO BEARING 30209 RTA25		
6.	8.1.1.00501	CO BOLT M10X22 HHB		
7.	0.210.6000.00	CO GEAR CROWN Z22 M6		
8.	8.5.1.00533	CO SNAP RING 50 UNI7435		
9.	826-490C	CO 3/8 GAS OIL VENT LEVEL PG.		
10.	0.210.1300.00	CO COVER		
11.	0.252.7525.00	CO SHIM 45.3X2.5		
12.	0.121.7101.00	CO CAP		
13.	8.6.6.00201	CO PLUG 3/8 GAS		
14.	8.4.7.02265	CO COTTER PIN B 5X60		
15.	0.132.7107.00	CO NUT M40X1.5		
16.	0.210.5000.00	CO PINION Z18 M6		
17.	0.712.7500.00	CO SHIM 50.3X70.3		
18.	04-011	ITG BEARING ASSEMBLY		Rev. 2
18.	8.0.9.00469	REP BY 04-011		Rev 1; Use up stock
19.	0.210.0300.00	CO CASTING & MACHINE		
20.	8.7.1.01107	CO SEAL (50x90x10)		
21.	0.139.7100.00	CO SEAL RETAINER		
22.	0.210.3000.00	CO OUTPUT SHAFT		
23.	0.139.7101.00	CO BLANK WASHER		
24.	8.2.2.00555	CO NUT, CASTLE M30 X 2		
25.	8.4.7.00146	CO COTTER PIN B6 X 60		
26.	0.285.7510.00	CO SHIM 40.3 X 61.7 X 1 *		
		Notes: Oil Type 80-90W Capacity 6.5 Pints		

3-Point Dual Gauge Wheel

Applies to RCF2784



30710


3-Point Dual Gauge Wheel

Applies to RCF2784

Ref	Part No.	Part Description	Comments	Revision
	Dwg 30710	Drawing Image Number		
1.	326-336H	AXLE WLDMT 3PT DUAL WHL		
2.	326-614D	TAILWHEEL ADJUSTMENT BAR		
3.	800-080C	GREASE ZERK 1/4-28 THD FORMING		
4.	802-053C	HHCS 5/8-11X1 3/4 GR5		
5.	802-055C	HHCS 5/8-11X2 GR5		
6.	802-280C	HHCS 3/4-10X7 1/2 GR5		
7.	802-326C	HHCS 1/2-20X1 1/4 GR5	Optional	
8.	803-021C	NUT HEX 5/8-11 PLT		
9.	803-026C	NUT LOCK 3/4-10 PLT		
10.	803-148C	NUT HEX NYLOCK 5/8-11 PLT		
11.	803-263C	NUT HEX FLANGE LOCK 5/8-11 PLT		
12.	803-308C	NUT HEX FLG/LK 1/2-20 PLT GR G		
13.	804-015C	WASHER LOCK SPRING 1/2 PLT	Optional	
14.	804-016C	WASHER FLAT 1/2 SAE PLT	Optional	
15.	804-022C	WASHER LOCK SPRING 5/8 PLT		
16.	804-066C	WASHER MACH 2.25 X 1.50 X 14GA		
17.	805-255C	PIN ROLL 3/8 X 2 1/2 PLT		
18.	814-058C	TIRE & WHEEL LAMINATED 4.0 X 8		
19.	814-161C	LAM 4X8 TR-WL-HUB-YOKE 25 SER.		
20.	815-092C	HUB & SPINDLE ASSY 4 BOLT		
21.	890-961C	RC25 TAILWHEEL YOKE		

3-Point Single Gauge Wheel

Applies to RCF2784



30709


3-Point Single Gauge Wheel

Applies to RCF2784

Ref	Part No.	Part Description	Comments	Revision
	Dwg 30709	Drawing Image Number		
1.	326-329H	TAILWHEEL WLDMT 2784 SINGLE		
2.	326-614D	TAILWHEEL ADJUSTMENT BAR		
3.	800-080C	GREASE ZERK 1/4-28 THD FORMING		
4.	802-055C	HHCS 5/8-11X2 GR5		
5.	802-280C	HHCS 3/4-10X7 1/2 GR5		
6.	802-326C	HHCS 1/2-20X1 1/4 GR5	Optional	
7.	803-021C	NUT HEX 5/8-11 PLT		
8.	803-026C	NUT LOCK 3/4-10 PLT		
9.	803-148C	NUT HEX NYLOCK 5/8-11 PLT		
10.	803-308C	NUT HEX FLG/LK 1/2-20 PLT GR G		
11.	804-015C	WASHER LOCK SPRING 1/2 PLT	Optional	
12.	804-016C	WASHER FLAT 1/2 SAE PLT	Optional	
13.	804-022C	WASHER LOCK SPRING 5/8 PLT		
14.	804-066C	WASHER MACH 2.25 X 1.50 X 14GA		
15.	805-255C	PIN ROLL 3/8 X 2 1/2 PLT		
16.	814-058C	TIRE & WHEEL LAMINATED 4.0 X 8		
17.	814-161C	LAM 4X8 TR-WL-HUB-YOKE 25 SER.		
18.	815-092C	HUB & SPINDLE ASSY 4 BOLT		
19.	890-961C	RC25 TAILWHEEL YOKE		

Axle Lift Hydraulic or Manual

Applies to RCF2784




30703

Axle Lift Hydraulic or Manual**Applies to RCF2784**

Ref	Part No.	Part Description	Comments	Revision
	Dwg 30703	Drawing Image Number		
1.	312-729D	HOSE HOLDER BRACKET		
2.	326-350H	SPRING SHOCK YOKE WLDMT		
3.	326-352S	CYLINDER SPRING CUSHION		
4.	326-353H	SPRING ROD WELDMNT		
5.	326-354A	RATCHET HEIGHT ADJUST W/CUSH		
6.	326-356H	HVY RATCHET JACK W/HUB WLDMT		
7.	326-366A	HYDRAULIC HEIGHT ADJ. CUSHION		
8.	326-759D	HUB EXTENSION THREADED		
9.	800-117C	VENT PLUG - 9/16-18 PLATED		
10.	801-112C	SCREW SET SCKT HD 3/8-16 X 1		
11.	802-017C	HHCS 3/8-16X1 GR5		
12.	802-184C	HHCS 3/4-10X1 1/2 GR5		
13.	803-013C	NUT LOCK 3/8-16 PLT		
14.	803-026C	NUT LOCK 3/4-10 PLT		
15.	804-012C	WASHER FLAT 3/8 SAE PLT		
16.	805-004C	PIN CLEVIS 1 X 2 3/4 USABLE LG		
17.	805-088C	PIN, HAIR COTTER 3/16 WIRE DIA		
18.	805-090C	PIN CLEVIS 1 X 3 3/16 LG		
19.	805-131C	PIN CLEVIS 1 X 4 11/16 USABLE		
20.	807-023C	SPRING HOSE LOOP		
21.	807-271C	SPRING COMP 3.20OD .63W 5.5L		
22.	810-200C	CYL 2.5X8X1.12 ROD (TIE)1 PIN		
23.	810-818C	STRK CNTRL SPCRS 1.125 TO 1.50		
24.	811-170C	AD 9/16MORB 9/16MJIC		
25.	811-542C	HH3/8R1 178 3/4FJIC 9/16FJIC		

Hub & Spindle Assembly (327-242S)

Applies to RCF2784



72621


Hub & Spindle Assembly (327-242S)

Applies to RCF2784

Ref	Part No.	Part Description	Comments	Revision
	Dwg 72621	Image No.		
	327-242S	4-BOLT HUB AND SPINDLE ASY *		
1.	200-001D	HUB GREASE CAP		
2.	800-001C	GREASE ZERK STRAIGHT 1/4-28		
3.	802-099C	HHCS 1/2-13X3 1/4 GR5		
4.	802-135C	HUB STUD 1/2-20X1 5/8 GR5		
5.	803-019C	NUT LOCK 1/2-13 PLT		
6.	803-029C	NUT HEX SLOTTED 7/8-14 PLT		
7.	803-308C	NUT HEX FLG/LK 1/2-20 PLT GR G		
8.	804-055C	WASHER SPINDLE - 7/8		
9.	805-246C	PIN COTTER 5/32 X 1 3/4 LG		
10.	815-108C	SPINDLE - SINGLE AXLE BOLT ON		
11.	815-230C	HUB 4 BLT W/CUPS, ZERK & STUDS		
12.	815-231C	HUB 4BLT DUCTILE(USE 815-230C)		
13.	816-098C	SEAL 1 3/8 ID X 2.441 OD X.313		
14.	822-091C	BRG 1.25ID CONE 15123		
15.	822-092C	BRG CUP 2.44OD 15245		

Hub Assembly (815-236C)

Applies to RCF2784




Hub Assembly (815-236C)**Applies to RCF2784**

Ref	Part No.	Part Description	Comments	Revision
	Dwg 72621	Image No.		
	815-236C	HUB 4 BOLT COMPLETE *		
1.	200-001D	HUB GREASE CAP		
2.	800-001C	GREASE ZERK STRAIGHT 1/4-28		
3.	802-135C	HUB STUD 1/2-20X1 5/8 GR5		
4.	803-029C	NUT HEX SLOTTED 7/8-14 PLT		
5.	804-055C	WASHER SPINDLE - 7/8		
6.	805-058C	PIN COTTER 3/16 X 2		
7.	815-230C	HUB 4 BLT W/CUPS, ZERK & STUDS		
8.	815-231C	HUB 4BLT DUCTILE(USE 815-230C)		
9.	816-098C	SEAL 1 3/8 ID X 2.441 OD X.313		
10.	822-091C	BRG 1.25ID CONE 15123		
11.	822-092C	BRG CUP 2.44OD 15245		

Hydraulic Cylinder (810-200C) Midway

Applies to RCF2784



10219


Hydraulic Cylinder (810-200C) Midway

Applies to RCF2784

Ref	Part No.	Part Description	Comments	Revision
	Dwg 10219	Drawing Image Number		
	810-200C	CYL 2.5X8X1.12 ROD (TIE)1 PIN *		
1.	5M4124	MW TUBE 3 X 16 CYLINDER		
2.	2M4422	MW ROD 1-1/4 DIA. X 16 STROKE		
3.	1M6010	MW CLEVIS STD. DUTY		
4.	2A0012	MW NUT CLEVIS & TIE ROD		
5.	802-023C	HHCS 3/8-16X1 3/4 GR5		
6.	7M4324	MW TIE ROD 3 X 16 CYLINDER		
7.	2A0014	MW TIE ROD NUT		
8.	3R1410	MW HEAD		
9.		O-RING	Only found in seal kit 19	
10.		BACK-UP	Only found in seal kit 19	
11.		WIPER SEAL	Only found in seal kit 19	
12.		O-RING	Only found in seal kit 19	
13.	4M4104	MW PISTON 3" DIA.		
14.	6R1146-ADI	MIDWAY ADI BASE		
15.	2A0024	MW PISTON NUT 1"-14		
16.		BACK-UP	Only found in seal kit 19	
17.	2A0208	MW CLEVIS PIN		
18.	2A0132	MW PIN CLIP		
19.	810-210C	SEAL KIT MW 2.5 CYL 3A3102	2nd revision	
19.	810-119C	RPBY 810-210C	Use up existing stock; revision 1	

Hydraulic Cylinder (810-200C) Red Lion

Applies to RCF2784




25901

Hydraulic Cylinder (810-200C) Red Lion**Applies to RCF2784**

Ref	Part No.	Part Description	Comments	Revision
	Dwg 25901	Drawing Image Number		
	810-200C	CYL 2.5X8X1.12 ROD (TIE)1 PIN *		
1.	803-014C	NUT HEX 3/8-16 PLT		
2.	130556	MON PISTON NUT		
3.	134953	LION PIN		
4.	135995	MON CLEVIS PIN COTTER		
5.	801-023C	SCREW SET SH 3/8-16X3/8 TYPE C		
6.	186561	PLUG 9/16-18UNF MORB SOCKET HD		
7.	N/A	MON ROD SEAL	Only Found in Kit #20	
8.	N/A	MON PISTON SEAL	Only Found in Kit #20	
9.	N/A	MON END CAP BACKUP WASHERS	Only Found in Kit #20	
10.	N/A	MON END CAP O-RING	Only Found in Kit #20	
11.	N/A	LION WIPER SEAL	Only Found in Kit #20	
12.	N/A	MON PISTON WEAR RING	Only Found in Kit #20	
13.	491668	LION CYL. TUBE 2.5 X 8		
14.	492218	LION TIE ROD 3/8, 8 CYL		
15.	492650	LION ROD CLEVIS 1 1/8-12UNF		
16.	492688	LION CLEVIS CAP 2.5, 9/16 ORB		
17.	492699	LION ROD 1.125 ASAE 8		
18.	494391	MON ROD CP2.50-1.12-9/16ORB-TS		
19.	258818	MON PISTON 2.50-.750-TSS-ISO-WR		
20.	810-886C	MON SEAL KIT 661701		

Transport Axle Pull Type S/N 1399179-

Applies to RCF2784




30704

Transport Axle Pull Type S/N 1399179-**Applies to RCF2784**

Ref	Part No.	Part Description	Comments	Revision
	Dwg 30704	Drawing Image Number		
1.	312-712D	TUBE 1 OD X 12 GA X 15/16 LG.		
2.	326-340H	RPBY 327-292S	Obsolete	
2.	327-292S	AXLE ASSEMBLY W/SPINDLES		
3.	802-212C	HHCS 3/4-10X2 1/2 GR5		
4.	803-026C	NUT LOCK 3/4-10 PLT		
5.	804-025C	WASHER FLAT 3/4 SAE PLT		
6.	814-059C	TIRE & WHEEL LAM. 6X9X21(TALL)		
7.	815-236C	HUB 4 BOLT COMPLETE		
8.	803-308C	NUT HEX FLG/LK 1/2-20 PLT GR G		

Transport Axle Pull Type S/N 1399180+

Applies to RCF2784




72620

Transport Axle Pull Type S/N 1399180+**Applies to RCF2784**

Ref	Part No.	Part Description	Comments	Revision
	Dwg 72620	Drawing Image Number		
1.	312-712D	TUBE 1 OD X 12 GA X 15/16 LG.		
2.	327-242S	4-BOLT HUB AND SPINDLE ASY		
3.	327-243H	AXLE WLDMT PULL TYPE 84		
4.	802-212C	HHCS 3/4-10X2 1/2 GR5		
5.	803-026C	NUT LOCK 3/4-10 PLT		
6.	804-025C	WASHER FLAT 3/4 SAE PLT		
7.	814-059C	TIRE & WHEEL LAM. 6X9X21(TALL)		

Transport Axle Pull Type With Spindles (327-292S)

Applies to RCF2784



72838


Transport Axle Pull Type With Spindles (327-292S)

Applies to RCF2784

Ref	Part No.	Part Description	Comments	Revision
	Dwg 72838	Image No.		
1.	327-243H	AXLE WLDMT PULL TYPE 84		
2.	327-292S	AXLE ASSEMBLY W/SPINDLES		
3.	802-099C	HHCS 1/2-13X3 1/4 GR5		
4.	803-019C	NUT LOCK 1/2-13 PLT		
5.	815-108C	SPINDLE - SINGLE AXLE BOLT ON		

Guard Chain Double Front

Applies to RCF2784




35486

Guard Chain Double Front**Applies to RCF2784**

Ref	Part No.	Part Description	Comments	Revision
	dwg35486	Drawing Image Number		
	312-906A	FRONT DBL CHAIN GUARD *		
1.	312-737D	ROD 1/4 X 44 PLTD.		
2.	312-908K	FRONT DBL CHAIN GUARD ASY		
3.	312-909K	SIDE DBL CHAIN ASY		
4.	318-337D	ROUND ROD 1/4 X 25		
5.	326-323D	FRONT CHAIN GUARD		
6.	326-362D	SIDE CHAIN GUARD		
7.	802-015C	RHSNB 3/8-16X1 GR5		
8.	803-198C	NUT HEX WHIZ 3/8-16 PLT		
9.	890-393C	CHAIN WELD 5/16 GR 43 X 7-LINK		

Guard Chain Double Rear S/N 1151354-

Applies to RCF2784



35487


Guard Chain Double Rear S/N 1151354-

Applies to RCF2784

Ref	Part No.	Part Description	Comments	Revision
	dwg35487	Drawing Image Number		
1.	312-907A	REAR DBL CHAIN GUARD		
2.	312-948D	DEFLECTOR SPACER		
3.	326-549D	CHAIN GUARD BRACKET REAR 84		
4.	326-570D	CHAIN ROD 1/4 X 89.92		
5.	802-183C	RHSNB 1/2-13X1 GR5		
6.	802-941C	RHSNB 1/2-13X3 3/4 GR5 PLT		
7.	803-037C	NUT HEX WHIZ 1/2-13 PLT		
8.	890-341C	CHAIN WELD 5/16 GR 43 X 5 LINK		

Guard Chain Double Rear S/N 1151355+

Applies to RCF2784




Guard Chain Double Rear S/N 1151355+**Applies to RCF2784**

Ref	Part No.	Part Description	Comments	Revision
	Dwg 70165	Drawing Image Number		
	326-932A	84" DBL REAR CHAING GUARD ASY *		
1.	312-948D	DEFLECTOR SPACER		
2.	326-568D	ROUND ROD 1/4 X 93 1/4		
3.	327-642D	84" REAR CHAIN GUARD		
4.	802-183C	RHSNB 1/2-13X1 GR5		
5.	802-941C	RHSNB 1/2-13X3 3/4 GR5 PLT		
6.	803-037C	NUT HEX WHIZ 1/2-13 PLT GR5		
7.	890-393C	CHAIN WELD 5/16 GR 43 X 7-LINK		

Guard Chain Single Front

Applies to RCF2784



24764


Guard Chain Single Front

Applies to RCF2784

Ref	Part No.	Part Description	Comments	Revision
	dwg24764	Drawing Image Number		
	312-869A	FRONT CHAIN GUARD ASSEMBLY		
		*		
1.	312-737D	ROD 1/4 X 43 PLTD.		
2.	312-870K	FRONT CHAIN GUARD ASSY		
3.	318-337D	ROUND ROD 1/4 X 25		
4.	326-034K	SIDE CHAIN GUARD ASSY		
5.	326-323D	FRONT CHAIN GUARD		
6.	326-362D	SIDE CHAIN GUARD		
7.	802-015C	RHSNB 3/8-16X1 GR5		
8.	803-198C	NUT HEX WHIZ 3/8-16 PLT		
9.	890-400C	CHAIN WELD 5/16 PROOF X 4 LINK		

Guard Chain Single Rear S/N 1151354-

Applies to RCF2784




30702

Guard Chain Single Rear S/N 1151354-**Applies to RCF2784**

Ref	Part No.	Part Description	Comments	Revision
	dwg30702	Drawing Image Number		
1.	312-948D	DEFLECTOR SPACER		
2.	326-219A	REAR CHAIN GUARD ASY RCF84		
3.	326-549D	CHAIN GUARD BRACKET REAR 84		
4.	326-570D	CHAIN ROD 1/4 X 89.92		
5.	802-183C	RHSNB 1/2-13X1 GR5		
6.	802-941C	RHSNB 1/2-13X3 3/4 GR5 PLT	S/N 722604+	
6.	802-585C	RHSNB 1/2-13X3 1/2 GR5 PLT	S/N 722603-	
7.	803-037C	NUT HEX WHIZ 1/2-13 PLT		
8.	890-485C	CHAIN WELD 5/16 PROOF X 3 LINK		

Guard Chain Single Rear S/N 1151355+

Applies to RCF2784




70165

Guard Chain Single Rear S/N 1151355+**Applies to RCF2784**

Ref	Part No.	Part Description	Comments	Revision
	Dwg 70165	Drawing Image Number		
	326-931A	84" REAR CHAIN GUARD ASY *		
1.	312-948D	DEFLECTOR SPACER		
2.	326-568D	ROUND ROD 1/4 X 93 1/4		
3.	327-642D	84" REAR CHAIN GUARD		
4.	802-183C	RHSNB 1/2-13X1 GR5		
5.	802-941C	RHSNB 1/2-13X3 3/4 GR5 PLT		
6.	803-037C	NUT HEX WHIZ 1/2-13 PLT GR5		
7.	890-400C	CHAIN WELD 5/16 GR 43 X 4 LINK		

Guard Rubber Front

Applies to RCF2784




Guard Rubber Front**Applies to RCF2784**

Ref	Part No.	Part Description	Comments	Revision
	dwg24765	Drawing Image Number		
	312-866A	1884 FRONT RUBBER COMPLETE		
		*		
1.	312-867K	FRONT RUBBER DEFLECTOR ASSY		
2.	326-033K	SIDE RUBBER DEFLECTOR ASSY		
3.	326-321D	FRONT DEFLECTOR BRACKET		
4.	326-322D	DEFLECTOR SUPPORT FLAT		
5.	326-360D	SIDE DEFLECTOR BRACKET		
6.	326-361D	SIDE DEFLECTOR SUPPORT FLAT		
7.	802-015C	RHSNB 3/8-16X1 GR5		
8.	803-198C	NUT HEX WHIZ 3/8-16 PLT		
9.	816-526C	RUBBER DEFLECTOR		
10.	816-538C	SIDE RUBBER DEFLECTOR		

Decal Placement 3-Point

Applies to RCF2784




30707

Decal Placement 3-Point**Applies to RCF2784**

Ref	Part No.	Part Description	Comments	Revision
	Dwg 30707	Drawing Image Number		
1.	818-130C	DECAL WARNING 540 RPM		
2.	818-142C	DECAL DANGER PTO DRIVELINE EN		
3.	N/A			
4.	818-543C	DECAL DANGER PD GUARD MISS SML		
5.	818-556C	DECAL DANGER THROWN OBJ CUTTER		
6.	818-555C	DECAL DANGER ROTATE BLADE		
6.	818-564C	RPBY 818-555C	Obsolete	
7.	818-830C	DECAL SAFETY COMBO SUNWEST	S/N 1538230-	
7.	844-190C	DECAL SINGLE DECK SAFETY COMBO	S/N 1538231+	
8.	818-862C	DECAL 5 YEAR GEARBOX WARRANTY		
9.	838-959C	DECAL LANDPRIDE 30" GREEN	S/N _____ -	
9.	848-122C	DECAL LANDPRIDE 34" TAN/BROWN	S/N _____ +	
10.	838-517C	DECAL QUICK HITCH SYSTEM		
11.	838-614C	DECAL REFLECTOR RED 2X9		
12.	848-620C	DECAL RCF2784 GOLD		
12.	848-621C	RPBY 848-620C	Obsolete	

Decal Placement Pull Type

Applies to RCF2784



30708

Decal Placement Pull Type**Applies to RCF2784**

Ref	Part No.	Part Description	Comments	Revision
	Dwg 30708	Drawing Image Number		
1.	818-130C	DECAL WARNING 540 RPM		
2.	818-142C	DECAL DANGER PTO DRIVELINE EN		
3.	N/A			
4.	818-543C	DECAL DANGER PD GUARD MISS SML		
5.	818-556C	DECAL DANGER THROWN OBJ CUTTER		
6.	818-555C	DECAL DANGER ROTATE BLADE		
6.	818-564C	RPBY 818-555C	Obsolete	
7.	818-681C	DECAL NOTICE - 20 MPH MAX		
8.	818-830C	DECAL SAFETY COMBO SUNWEST	S/N 1538230-	
8.	844-190C	DECAL SINGLE DECK SAFETY COMBO	S/N 1538231+	
9.	818-862C	DECAL 5 YEAR GEARBOX WARRANTY		
10.	838-959C	DECAL LANDPRIDE 30" GREEN	S/N _____ -	
10.	848-122C	DECAL LANDPRIDE 34" TAN/BROWN	S/N _____ +	
11.	838-094C	DECAL WARNING HYD PRESS LONG		
12.	838-614C	DECAL REFLECTOR RED 2X9		
13.	848-620C	DECAL RCF2784 GOLD		
13.	848-621C	RPBY 848-620C		

Touch-up Paints - LP

Applies to RCF2784


No diagram associated with this Parts List

Touch-up Paints - LP**Applies to RCF2784**

Ref	Part No.	Part Description	Comments	Revision
1.	821-011C	LP BEIGE SPRAY CAN	Spray can	
1.	821-011CTU	LP BEIGE TOUCH-UP 5OZ	Touch-up bottle with brush	
1.	821-011CQT	LP BEIGE QUART	Quart can	
1.	821-011CGL	LP BEIGE GALLON	Gallon can	
2.	821-070C	GLOSS BLACK SPRAY CAN	Spray can	
2.	821-070CTU	GLOSS BLACK TOUCH-UP 5OZ	Touch-up bottle with brush	
2.	821-070CQT	GLOSS BLACK QUART	Quart can	
2.	821-070CGL	GLOSS BLACK GALLON	Gallon can	
3.	821-054C	MED. RED SPRAY TRCK/CTR	Spray can	
3.	821-054CTU	MED RED TOUCH-UP 5OZ	Touch-up bottle with brush	
3.	821-054CQT	MED RED QUART	Quart can	
3.	821-054CGL	MED RED GALLON	Gallon can	
4.	821-058C	GREEN SPRAY CUTTERS	Spray can	
4.	821-058CTU	GREEN TOUCH-UP 5OZ	Touch-up bottle with brush	
4.	821-058CQT	GREEN QUART	Quart can	
4.	821-058CGL	GREEN GALLON	Gallon can	
5.	821-066C	ORANGE SPRAY CAN	Spray can	
5.	821-066CTU	ORANGE TOUCH-UP 5OZ	Touch-up bottle with brush	
5.	821-066CQT	ORANGE QUART	Quart can	
5.	821-066CGL	ORANGE GALLON	Gallon can	
6.	821-067C	BLUE SPRAY CAN	Spray can	
6.	821-067CTU	BLUE TOUCH-UP 5OZ	Touch-up bottle with brush	
6.	821-067CQT	BLUE QUART	Quart can	
6.	821-067CGL	BLUE GALLON	Gallon can	
7.	821-080C	PAINT ALUMINUM/ZINC SPRAY CAN	Spray can	
7.	821-080CTU	PAINT ALUMINUM/ZINC TOUCH UP	Touch-up bottle with brush	
7.	821-080CQT	PAINT ALUMINUM/ZINC QUART	Quart can	
7.	821-080CGL	PAINT ALUMINUM/ZINC GALLON	Gallon can	

Deck Components

Applies to RCR2684 S/N 1180234+



70293


Deck Components

Applies to RCR2684 S/N 1180234+

Ref	Part No.	Part Description	Comments	Revision
	Dwg 70293	Image No.		
1.	326-095S	MANUAL CONTAINER KIT, 1 1/4		
2.	326-221D	SKID SHOE		
3.	326-883H	RCR2684 DECK		
4.	327-655D	84" REAR BAND		
5.	802-183C	RHSNB 1/2-13X1 GR5		
6.	802-603C	PLOW 3/8-16X1 GR5		
7.	803-037C	NUT HEX WHIZ 1/2-13 PLT GR5		
8.	803-198C	NUT HEX WHIZ 3/8-16 PLT		
9.	840-273C	PLUG LP 3" ID RUBBER		

Driveline Hook

Applies to RCR2684 S/N 1180234+



70294


Driveline Hook

Applies to RCR2684 S/N 1180234+

Ref	Part No.	Part Description	Comments	Revision
	Dwg 70294	Image No.		
1.	802-010C	HHCS 5/16-18X1 1/4 GR5		
2.	802-138C	HHCS 5/16-18X2 1/4 GR5		
3.	803-177C	NUT HEX FLG TP LK 5/16-18ZNYCR		
4.	804-036C	WASHER FLAT 5/16 SAE PLT		
5.	807-350C	SPRING TORSION DRVLN HLDER		
6.	837-062C	DRIVELINE HOOK		
7.	837-063C	MOUNT DRIVELINE HOOK		

Hitch 3-Point

Applies to RCR2684 S/N 1180234+




Hitch 3-Point**Applies to RCR2684 S/N 1180234+**

Ref	Part No.	Part Description	Comments	Revision
	Dwg 70285	Image No.		
1.	300-236D	HITCH PIN CAT. II & III		
2.	312-821D	BSHG 1 1/4ODX1 1/32IDX2 1/16LG		
3.	312-822D	REAR BRACE SHORT		
4.	326-591D	HITCH MOUNT BSHG		
5.	326-629D	BSH 1.12ODX.69IDX.41L		
6.	326-717D	HITCH STRAP LH 84		
7.	326-718D	HITCH STRAP RH 84		
8.	326-719D	REAR BRACE 84		
9.	327-143S	DRIVELINE HOLDER W/HARDWARE		
10.	802-053C	HHCS 5/8-11X1 3/4 GR5		
11.	802-098C	HHCS 1-8X4 1/2 GR5		
12.	802-184C	HHCS 3/4-10X1 1/2 GR5		
13.	802-908C	HHCS 7/8-9X2 1/2 GR5		
14.	803-026C	NUT LOCK 3/4-10 PLT		
15.	803-028C	NUT NY-LOK 7/8-9 PLT		
16.	803-258C	NUT HEX FLG LOCK 1-8 GR B PLT		
17.	803-263C	NUT HEX FLANGE LOCK 5/8-11 PLT		
18.	804-019C	WASHER FLAT 5/8 USS PLT		
19.	804-029C	WASHER FLAT 1 SAE		
20.	804-134C	WASHER FLAT 7/8 USS PLT		
21.	805-017C	PIN COTTER 3/16 X 1 3/4 PLT		
22.	805-088C	PIN, HAIR COTTER 3/16 WIRE DIA		
23.	805-090C	PIN CLVS 1.0X3.20 USBL		
24.	805-103C	PIN LINCH 7/16 X 1 3/4		
25.	805-124C	PIN CLVS 1.0X3.69 USBL GR5		
26.	805-137C	PIN CLVS 1.0X1.70 USBL		
27.	890-940C	ADAPTER BUSHING CAT II 2-1/2"L		

Manual Tube

Applies to RCR2684 S/N 1180234+




Manual Tube

Applies to RCR2684 S/N 1180234+

Ref	Part No.	Part Description	Comments	Revision
	Dwg 39163	Image No.		
	326-095S	MANUAL CONTAINER KIT, 1 1/4 *	Complete assembly	
1.	802-224C	HHCS 1/4-20X1 1/4 GR5		
2.	803-255C	NUT HEX NYLOCK 1/4-20		
3.	804-007C	WASHER FLAT 1/4 SAE PLT		
4.	816-504C	MANUAL STORAGE CONTAINER		

Blade Carrier

Applies to RCR2684 S/N 1180234+




70296

Blade Carrier**Applies to RCR2684 S/N 1180234+**

Ref	Part No.	Part Description	Comments	Revision
	Dwg 70296	Image No.		
1.	312-818H	38OV DSHPN WMT 27C/C L-HB-CO		
2.	802-277C	BLD BLT 1 1/8-12X3.44 W/.25KEY		
3.	803-170C	NUT HEX TOP LOCK 1 1/8-12 PLT		
4.	804-147C	WASHER FLAT 1" HARDENED		
5.	820-138C	CUTTER BLADE 1/2X4X31 CCW		
6.	318-586A	BLADE BOLT KIT		

Drive Components

Applies to RCR2684 S/N 1180234+



70295


Drive Components

Applies to RCR2684 S/N 1180234+

Ref	Part No.	Part Description	Comments	Revision
	Dwg 70295	Image No.		
1.	802-007C	HHCS 5/16-18X3/4 GR5		
2.	802-065C	HHCS 3/4-10X2 1/4 GR5		
3.	804-009C	WASHER LOCK SPRING 5/16 PLT		
4.	804-010C	WASHER FLAT 5/16 USS PLT		
5.	826-377C	GBOX RC25 1.38-6 1:1.21 STD.		
6.	826-490C	COMER U0.210.7100.00 DIPSTICK		
7.	826-673C	DRVLN C4 44 1.38-6 QD CLTCH		
8.	837-101C	LAND PRIDE CONE		

3-Point Dual Gauge Wheel

Applies to RCR2684 S/N 1180234+



30710


3-Point Dual Gauge Wheel

Applies to RCR2684 S/N 1180234+

Ref	Part No.	Part Description	Comments	Revision
	Dwg 30710	Drawing Image Number		
1.	326-336H	AXLE WLDMT 3PT DUAL WHL		
2.	326-614D	TAILWHEEL ADJUSTMENT BAR		
3.	800-080C	GREASE ZERK 1/4-28 THD FORMING		
4.	802-053C	HHCS 5/8-11X1 3/4 GR5		
5.	802-055C	HHCS 5/8-11X2 GR5		
6.	802-280C	HHCS 3/4-10X7 1/2 GR5		
7.	802-326C	HHCS 1/2-20X1 1/4 GR5	Optional	
8.	803-021C	NUT HEX 5/8-11 PLT		
9.	803-026C	NUT LOCK 3/4-10 PLT		
10.	803-148C	NUT HEX NYLOCK 5/8-11 PLT		
11.	803-263C	NUT HEX FLANGE LOCK 5/8-11 PLT		
12.	803-308C	NUT HEX FLG/LK 1/2-20 PLT GR G		
13.	804-015C	WASHER LOCK SPRING 1/2 PLT	Optional	
14.	804-016C	WASHER FLAT 1/2 SAE PLT	Optional	
15.	804-022C	WASHER LOCK SPRING 5/8 PLT		
16.	804-066C	WASHER MACH 2.25 X 1.50 X 14GA		
17.	805-255C	PIN ROLL 3/8 X 2 1/2 PLT		
18.	814-058C	TIRE & WHEEL LAMINATED 4.0 X 8		
19.	814-161C	LAM 4X8 TR-WL-HUB-YOKE 25 SER.		
20.	815-092C	HUB & SPINDLE ASSY 4 BOLT		
21.	890-961C	RC25 TAILWHEEL YOKE		

3-Point Single Gauge Wheel

Applies to RCR2684 S/N 1180234+



30709


3-Point Single Gauge Wheel

Applies to RCR2684 S/N 1180234+

Ref	Part No.	Part Description	Comments	Revision
	Dwg 30709	Drawing Image Number		
1.	326-329H	TAILWHEEL WLDMT 2784 SINGLE		
2.	326-614D	TAILWHEEL ADJUSTMENT BAR		
3.	800-080C	GREASE ZERK 1/4-28 THD FORMING		
4.	802-055C	HHCS 5/8-11X2 GR5		
5.	802-280C	HHCS 3/4-10X7 1/2 GR5		
6.	802-326C	HHCS 1/2-20X1 1/4 GR5	Optional	
7.	803-021C	NUT HEX 5/8-11 PLT		
8.	803-026C	NUT LOCK 3/4-10 PLT		
9.	803-148C	NUT HEX NYLOCK 5/8-11 PLT		
10.	803-308C	NUT HEX FLG/LK 1/2-20 PLT GR G		
11.	804-015C	WASHER LOCK SPRING 1/2 PLT	Optional	
12.	804-016C	WASHER FLAT 1/2 SAE PLT	Optional	
13.	804-022C	WASHER LOCK SPRING 5/8 PLT		
14.	804-066C	WASHER MACH 2.25 X 1.50 X 14GA		
15.	805-255C	PIN ROLL 3/8 X 2 1/2 PLT		
16.	814-058C	TIRE & WHEEL LAMINATED 4.0 X 8		
17.	814-161C	LAM 4X8 TR-WL-HUB-YOKE 25 SER.		
18.	815-092C	HUB & SPINDLE ASSY 4 BOLT		
19.	890-961C	RC25 TAILWHEEL YOKE		

Hub Assembly 4-Bolt W/ Zerk & Studs (815-092C)

Applies to RCR2684 S/N 1180234+




37435

Hub Assembly 4-Bolt W/ Zerk & Studs (815-092C)**Applies to RCR2684 S/N 1180234+**

Ref	Part No.	Part Description	Comments	Revision
	Dwg 37435	Image No.		
1.	800-001C	GREASE ZERK STRAIGHT 1/4-28		
2.	802-135C	HUB STUD 1/2-20X1 5/8 GR5		
3.	803-289C	NUT HEX 1 1/4-7(MACHINED)PLAIN		
4.	815-092C	HUB & SPINDLE ASSY 4 BOLT		
5.	815-230C	HUB 4 BLT W/CUPS, ZERK & STUDS		
6.	815-231C	HUB 4BLT DUCTILE(USE 815-230C)		
7.	816-286C	OIL SEAL DBL LIP 2.441 BORE		
8.	822-091C	BRG 1.25ID CONE 15123		
9.	822-092C	BRG CUP 2.44OD 15245		
10.	827-036C	BUSHING TW 1.25ODX.78IDX5 1/4		

Ratchet Height Adjustment

Applies to RCR2684 S/N 1180234+



70302


Ratchet Height Adjustment

Applies to RCR2684 S/N 1180234+

Ref	Part No.	Part Description	Comments	Revision
	Dwg 70302	Image No.		
1.	805-088C	PIN, HAIR COTTER 3/16 WIRE DIA		
2.	805-090C	PIN CLVS 1.0X3.20 USBL		
3.	805-115C	PIN COTTER 1/4 X 3 PLT		
4.	890-177C	RATCHET JACK - HEAVY DUT		

Guard Chain Single Front

Applies to RCR2684 S/N 1180234+



24764


Guard Chain Single Front

Applies to RCR2684 S/N 1180234+

Ref	Part No.	Part Description	Comments	Revision
	dwg24764	Drawing Image Number		
	312-869A	FRONT CHAIN GUARD ASSEMBLY		
		*		
1.	312-737D	ROD 1/4 X 43 PLTD.		
2.	312-870K	FRONT CHAIN GUARD ASSY		
3.	318-337D	ROUND ROD 1/4 X 25		
4.	326-034K	SIDE CHAIN GUARD ASSY		
5.	326-323D	FRONT CHAIN GUARD		
6.	326-362D	SIDE CHAIN GUARD		
7.	802-015C	RHSNB 3/8-16X1 GR5		
8.	803-198C	NUT HEX WHIZ 3/8-16 PLT		
9.	890-400C	CHAIN WELD 5/16 PROOF X 4 LINK		

Guard Chain Single Rear

Applies to RCR2684 S/N 1180234+




70165

Guard Chain Single Rear**Applies to RCR2684 S/N 1180234+**

Ref	Part No.	Part Description	Comments	Revision
	Dwg 70165	Drawing Image Number		
	326-931A	84" REAR CHAIN GUARD ASY *		
1.	312-948D	DEFLECTOR SPACER		
2.	326-568D	ROUND ROD 1/4 X 93 1/4		
3.	327-642D	84" REAR CHAIN GUARD		
4.	802-183C	RHSNB 1/2-13X1 GR5		
5.	802-941C	RHSNB 1/2-13X3 3/4 GR5 PLT		
6.	803-037C	NUT HEX WHIZ 1/2-13 PLT GR5		
7.	890-400C	CHAIN WELD 5/16 GR 43 X 4 LINK		

Driveline Slip Clutch (1466030)

Applies to RCR2684 S/N 1180234+



13692


Driveline Slip Clutch (1466030)

Applies to RCR2684 S/N 1180234+

Ref	Part No.	Part Description	Comments	Revision
	dwg13692	Drawing Image Number		
	1466030	TORQUE LIMITER 4 FRICTION DISK		
1.	1421010	EC COMPLETE BOLT M10X100(HUB)		
2.	1215012	EC CLUTCH SPRING		
3.	1706033	EC CLUTCH YOKE W/FLANGE		
4.	1705009	EC CLUTCH BUSHING		
5.	1808010	EC CLUTCH LINING RING		
6.	1708034	EC CLUTCH MIDDLE DISK		
7.	1138008	EC INNER DISK		
8.	1708018	EC CLUTCH HUB W/FLANGE		
9.	1341270	EC COMPL. CONN. BOLT M12X70		
10.	1138007	EC PRESSURE DISK		

Driveline W/ Slip Clutch (826-673C)

Applies to RCR2684 S/N 1180234+




Driveline W/ Slip Clutch (826-673C)**Applies to RCR2684 S/N 1180234+**

Ref	Part No.	Part Description	Comments	Revision
	Dwg 30694	Drawing Image Number		
	826-673C	DRVLN C4 44 1.38-6 QD CLTCH *		
1.	141.025.363.1	CO COMPLETE COLLAR YOKE C12		
2.	180.015.130	COMER CROSS JOURNAL SET		
3.	146.254.015.1	CO DISC CLUTCH F42 (11350 NM)		
4.	8180.015.288	CO GUARD RETAIN COLLAR OUT TB		
5.	8180.014.240	COMER BOLT		
6.	8180.015.289	CO GUARD RETAIN COLLAR INNR TB		
7.	044321	DRIVELINE SHIELD SAFETY CHAIN	S/N 928934-	
8.	142.250.3657521	COMPLETE GUARD W/INSTRUC		
9.	180.014.022	COMER SPRING		
10.	151.015.038.1	CO FLANGED YOKE		
11.	180.019.019	COMER BUSH		
12.	180.019.340	COMER LINING RING		
13.	165.000.502	COMER NUT & BOLT M12X1.25X65		
14.	151.019.011.1	CO CLUTCH SUPPORT F42		
15.	180.019.014	COMER INNER PLATE		
16.	180.019.115	COMER INTERMEDIATE PLATE		
17.	180.019.116.1	COMER PRESSURE PLATE		
18.	165.000.548	COMER BOLT WITH NUT M10X100		
19.	8123.350.097.11	CO HALF FEMALE SHFT W/GUARD		
20.	8123.450.295.11	CO HALF MALE SHAFT W/GUARD		
21.	190.000.098	COMER DANGER LABEL OUTER TUBE		
22.	190.000.099	COMER DANGER LABEL GUARD OUTER		
23.	165.000.628	COMER COLLAR KIT 1-3/8 YOKE		

Gearbox (826-377C) Comer

Applies to RCR2684 S/N 1180234+




26957

Gearbox (826-377C) Comer**Applies to RCR2684 S/N 1180234+**

Ref	Part No.	Part Description	Comments	Revision
	Dwg 26957	Drawing Image Number		
	826-377C	GBOX RC25 1.38-6 1:1.21 STD. *		
1.	0.210.2000.00	CO INPUT SHAFT 1.38-6		
2.	8.7.3.00331	CO OIL SEAL 45 X 85 X 10		
3.	8.5.2.00332	CO SNAP RING UNI 7437		
4.	0.709.7500.00	CO SHIM 84.7		
5.	8.0.9.00143	CO BEARING 30209 RTA25		
6.	8.1.1.00501	CO BOLT M10X22 HHB		
7.	0.210.6000.00	CO GEAR CROWN Z22 M6		
8.	8.5.1.00533	CO SNAP RING 50 UNI7435		
9.	826-490C	CO 3/8 GAS OIL VENT LEVEL PG.		
10.	0.210.1300.00	CO COVER		
11.	0.252.7525.00	CO SHIM 45.3X2.5		
12.	0.121.7101.00	CO CAP		
13.	8.6.6.00201	CO PLUG 3/8 GAS		
14.	8.4.7.02265	CO COTTER PIN B 5X60		
15.	0.132.7107.00	CO NUT M40X1.5		
16.	0.210.5000.00	CO PINION Z18 M6		
17.	0.712.7500.00	CO SHIM 50.3X70.3		
18.	04-011	ITG BEARING ASSEMBLY		Rev. 2
18.	8.0.9.00469	REP BY 04-011		Rev 1; Use up stock
19.	0.210.0300.00	CO CASTING & MACHINE		
20.	8.7.1.01107	CO SEAL (50x90x10)		
21.	0.139.7100.00	CO SEAL RETAINER		
22.	0.210.3000.00	CO OUTPUT SHAFT		
23.	0.139.7101.00	CO BLANK WASHER		
24.	8.2.2.00555	CO NUT, CASTLE M30 X 2		
25.	8.4.7.00146	CO COTTER PIN B6 X 60		
26.	0.285.7510.00	CO SHIM 40.3 X 61.7 X 1 *		
		Notes: Oil Type 80-90W Capacity 6.5 Pints		

Decal Placement

Applies to RCR2684 S/N 1180234+



Decal Placement**Applies to RCR2684 S/N 1180234+**

Ref	Part No.	Part Description	Comments	Revision
	Dwg 70303	Image No.		
1.	818-130C	DECAL WARNING 540 RPM		
2.	818-142C	DECAL DANGER PTO DRIVELINE EN		
3.	N/A			
4.	818-543C	DECAL DANGER PD GUARD MISS SML		
5.	818-555C	DECAL DANGER ROTATE BLADE		
6.	818-556C	DECAL DANGER THROWN OBJ CUTTER		
7.	818-830C	DECAL SAFETY COMBO SUNWEST	S/N 1538231-	
7.	844-190C	DECAL SINGLE DECK SAFETY COMBO	S/N 1538231+	
8.	818-862C	DECAL 5 YEAR GEARBOX WARRANTY		
9.	838-512C	DECAL RCR2684-GOLD		
10.	838-517C	DECAL QUICK HITCH SYSTEM		
11.	838-614C	DECAL REFLECTOR RED 2X9		
12.	838-959C	DECAL LANDPRIDE 30" GREEN	S/N _____ -	
12.	848-122C	DECAL LANDPRIDE 34" TAN/BROWN	S/N _____ +	

Touch-up Paints - LP

Applies to RCR2684 S/N 1180234+

No diagram associated with this Parts List

Touch-up Paints - LP**Applies to RCR2684 S/N 1180234+**

Ref	Part No.	Part Description	Comments	Revision
1.	821-011C	LP BEIGE SPRAY CAN	Spray can	
1.	821-011CTU	LP BEIGE TOUCH-UP 5OZ	Touch-up bottle with brush	
1.	821-011CQT	LP BEIGE QUART	Quart can	
1.	821-011CGL	LP BEIGE GALLON	Gallon can	
2.	821-070C	GLOSS BLACK SPRAY CAN	Spray can	
2.	821-070CTU	GLOSS BLACK TOUCH-UP 5OZ	Touch-up bottle with brush	
2.	821-070CQT	GLOSS BLACK QUART	Quart can	
2.	821-070CGL	GLOSS BLACK GALLON	Gallon can	
3.	821-054C	MED. RED SPRAY TRCK/CTR	Spray can	
3.	821-054CTU	MED RED TOUCH-UP 5OZ	Touch-up bottle with brush	
3.	821-054CQT	MED RED QUART	Quart can	
3.	821-054CGL	MED RED GALLON	Gallon can	
4.	821-058C	GREEN SPRAY CUTTERS	Spray can	
4.	821-058CTU	GREEN TOUCH-UP 5OZ	Touch-up bottle with brush	
4.	821-058CQT	GREEN QUART	Quart can	
4.	821-058CGL	GREEN GALLON	Gallon can	
5.	821-066C	ORANGE SPRAY CAN	Spray can	
5.	821-066CTU	ORANGE TOUCH-UP 5OZ	Touch-up bottle with brush	
5.	821-066CQT	ORANGE QUART	Quart can	
5.	821-066CGL	ORANGE GALLON	Gallon can	
6.	821-067C	BLUE SPRAY CAN	Spray can	
6.	821-067CTU	BLUE TOUCH-UP 5OZ	Touch-up bottle with brush	
6.	821-067CQT	BLUE QUART	Quart can	
6.	821-067CGL	BLUE GALLON	Gallon can	
7.	821-080C	PAINT ALUMINUM/ZINC SPRAY CAN	Spray can	
7.	821-080CTU	PAINT ALUMINUM/ZINC TOUCH UP	Touch-up bottle with brush	
7.	821-080CQT	PAINT ALUMINUM/ZINC QUART	Quart can	
7.	821-080CGL	PAINT ALUMINUM/ZINC GALLON	Gallon can	



Part Number Index

The Part Number Index is a numeric index of all part numbers included in this manual. The index shows what page(s) the part is used on.

Part Number	Page	Part Number	Page	Part Number	Page	Part Number	Page
0.121.7101.00	27, 97	258818	41	326-629D	9, 73	802-392C	11
0.132.7107.00	27, 97	2A0012	39	326-717D	9, 73	802-585C	57
0.139.7100.00	27, 97	2A0014	39	326-718D	9, 73	802-603C	7, 69
0.139.7101.00	15, 17, 27, 97	2A0024	39	326-719D	9, 73	802-908C	9, 73
0.210.0300.00	27, 97	2A0132	39	326-759D	33	802-941C	51, 53, 57, 59, 91
0.210.1300.00	27, 97	2A0208	39	326-883H	69	803-013C	33
0.210.2000.00	27, 97	2M4422	39	326-931A	59, 91	803-014C	41
0.210.3000.00	27, 97	300-236D	9, 11, 73	326-932A	53	803-019C	17, 35, 47
0.210.5000.00	27, 97	312-075D	13	327-143S	9, 73	803-021C	17, 29, 31, 81, 83
0.210.6000.00	27, 97	312-082D	13	327-242S	35, 45	803-026C	9, 11, 29, 31, 33, 43, 45, 73, 81, 83
0.252.7525.00	27, 97	312-089D	13	327-243H	45, 47	803-028C	9, 73
0.285.7510.00	27, 97	312-421H	11	327-292S	43, 47	803-029C	35, 37
0.709.7500.00	27, 97	312-423H	11	327-642D	53, 59, 91	803-031C	11
0.712.7500.00	27, 97	312-681S	17	327-655D	7, 69	803-037C	7, 51, 53, 57, 59, 69, 91
04-011	27, 97	312-712D	43, 45	3R1410	39	803-075C	11
044321	19, 21, 25, 95	312-715D	17	491668	41	803-148C	29, 31, 81, 83
1004227	19	312-729D	33	492218	41	803-170C	13, 77
1006020	19, 21	312-733D	11	492650	41	803-177C	9, 71
1016013	19	312-737D	49, 55, 89	492688	41	803-198C	7, 49, 55, 61, 69, 89
1138007	23, 93	312-808D	13	492699	41	803-255C	7, 75
1138008	23, 93	312-818H	13, 77	494391	41	803-258C	9, 73
1215012	23, 93	312-821D	9, 73	4M4104	39	803-263C	9, 29, 73, 81
1215733	19, 21	312-822D	9, 73	5M4124	39	803-265C	11
1215735	19, 21	312-833D	17	6331070	21	803-289C	85
130556	41	312-866A	61	6331080	19	803-299C	15, 17
1341270	23, 93	312-867K	61	6560508	19, 21	803-308C	29, 31, 35, 43, 81, 83
134953	41	312-869A	55, 89	6561306	21	804-007C	7, 75
135995	41	312-870K	55, 89	6R1146-ADI	39	804-009C	15, 17, 79
141.025.363.1	25, 95	312-906A	49	7M4324	39	804-010C	15, 17, 79
142.250.3657521	25, 95	312-907A	51	8.0.9.00143	27, 97	804-012C	33
1421010	23, 93	312-908K	49	8.0.9.00469	27, 97	804-015C	29, 31, 81, 83
146.254.015.1	25, 95	312-909K	49	8.1.1.00501	27, 97	804-016C	29, 31, 81, 83
1466030	21, 23, 93	312-948D	51, 53, 57, 59, 91	8.2.2.00555	15, 17, 27, 97	804-019C	9, 73
151.015.038.1	25, 95	312-999D	17	8.4.7.00146	15, 17, 27, 97	804-021C	17
151.019.011.1	25, 95	318-008H	11	8.4.7.02265	27, 97	804-022C	17, 29, 31, 81, 83
1526098	21	318-337D	49, 55, 89	8.5.1.00533	27, 97	804-025C	11, 43, 45
1528040D	19	318-586A	13, 77	8.5.2.00332	27, 97	804-027C	11
165.000.502	25, 95	326-002D	17	8.6.6.00201	27, 97	804-028C	11
165.000.548	25, 95	326-033K	61	8.7.1.01107	27, 97	804-029C	9, 73
165.000.628	25, 95	326-034K	55, 89	8.7.3.00331	27, 97	804-036C	9, 71
1705009	23, 93	326-095S	69, 75	800-001C	35, 37, 85	804-055C	35, 37
1706027	19	326-219A	57	800-069C	17	804-066C	29, 31, 81, 83
1706029	21	326-221D	7, 69	800-080C	29, 31, 81, 83	804-125C	11
1706033	23, 93	326-298H	11	800-117C	33	804-134C	9, 73
1708018	23, 93	326-321D	61	801-023C	41	804-147C	13, 77
1708034	23, 93	326-322D	61	801-112C	33	805-004C	33
1786710	19, 21	326-323D	49, 55, 89	802-007C	15, 17, 79	805-017C	9, 73
1786711	21	326-326H	7	802-010C	9, 71	805-045C	11
180.014.022	25, 95	326-326H81	7	802-015C	49, 55, 61, 89	805-058C	37
180.015.130	25, 95	326-326H82	7	802-017C	33	805-083C	11
180.019.014	25, 95	326-326H83	7	802-023C	39	805-088C	9, 33, 73, 87
180.019.019	25, 95	326-329H	31, 83	802-053C	9, 29, 73, 81	805-090C	9, 33, 73, 87
180.019.115	25, 95	326-331H	11	802-055C	29, 31, 81, 83	805-103C	9, 11, 73
180.019.116.1	25, 95	326-336H	29, 81	802-065C	15, 17, 79	805-115C	87
180.019.340	25, 95	326-340H	43	802-074C	11	805-124C	9, 73
1808010	23, 93	326-350H	33	802-096C	11	805-131C	33
186561	41	326-352S	33	802-098C	9, 11, 73	805-137C	9, 73
1876030D	19	326-353H	33	802-099C	35, 47	805-246C	35
1876092	21	326-354A	33	802-135C	35, 37, 85	805-255C	29, 31, 81, 83
1877092	21	326-356H	33	802-138C	9, 71	807-023C	33
1885702	21	326-360D	61	802-146C	17	807-271C	33
1885703	19	326-361D	61	802-183C	7, 51, 53, 57, 59, 69, 91	807-350C	9, 71
1885704	19	326-362D	49, 55, 89	802-184C	9, 33, 73	810-119C	39
1885705	21	326-366A	33	802-212C	43, 45	810-200C	33, 39, 41
1885709	19, 21	326-549D	51, 57	802-224C	7, 75	810-210C	39
1896097N327	21	326-568D	53, 59, 91	802-260C	17	810-818C	33
190.000.098	25, 95	326-570D	51, 57	802-277C	13, 77		
190.000.099	25, 95	326-591D	9, 73	802-280C	29, 31, 81, 83		
1M6010	39	326-607A	9	802-326C	29, 31, 81, 83		
200-001D	35, 37	326-614D	29, 31, 81, 83				



Part Number Index (continued)

Part Number	Page	Part Number	Page
810-886C	41	826-673C	15, 25, 79, 95
811-170C	33	826-892C	17
811-542C	33	827-036C	85
8123.350.097.11	25, 95	837-062C	9, 71
8123.450.295.11	25, 95	837-063C	9, 71
814-058C	29, 31, 81, 83	837-101C	15, 17, 79
814-059C	43, 45	838-094C	65
814-161C	29, 31, 81, 83	838-512C	99
815-092C	29, 31, 81, 83, 85	838-517C	63, 99
815-108C	35, 47	838-614C	63, 65, 99
815-230C	35, 37, 85	838-959C	63, 65, 99
815-231C	35, 37, 85	840-273C	17, 69
815-236C	37, 43	844-190C	63, 65, 99
816-098C	35, 37	848-122C	63, 65, 99
816-286C	85	848-620C	63, 65
816-504C	7, 75	848-621C	63, 65
816-526C	61	890-118C	11
816-538C	61	890-177C	87
818-130C	63, 65, 99	890-182C	11
818-142C	63, 65, 99	890-341C	51
818-540C	19, 21	890-393C	49, 53
818-543C	63, 65, 99	890-400C	55, 59, 89, 91
818-552C	19, 21	890-485C	57
818-555C	63, 65, 99	890-940C	9, 73
818-556C	63, 65, 99	890-961C	29, 31, 81, 83
818-564C	63, 65	Dwg 10219	39
818-681C	65	Dwg 16610	19
818-830C	63, 65, 99	Dwg 25901	41
818-862C	63, 65, 99	Dwg 26957	27, 97
8180.014.240	25, 95	Dwg 30694	25, 95
8180.015.288	25, 95	Dwg 30698	7
8180.015.289	25, 95	Dwg 30700	15
820-138C	13, 77	Dwg 30701	13
821-011C	67, 101	Dwg 30703	33
821-011CGL	67, 101	Dwg 30704	43
821-011CQT	67, 101	Dwg 30706	17
821-011CTU	67, 101	Dwg 30707	63
821-054C	67, 101	Dwg 30708	65
821-054CGL	67, 101	Dwg 30709	31, 83
821-054CQT	67, 101	Dwg 30710	29, 81
821-054CTU	67, 101	Dwg 37435	85
821-058C	67, 101	Dwg 39163	75
821-058CGL	67, 101	Dwg 70165	53, 59, 91
821-058CQT	67, 101	Dwg 70285	73
821-058CTU	67, 101	Dwg 70293	69
821-066C	67, 101	Dwg 70294	71
821-066CGL	67, 101	Dwg 70295	79
821-066CQT	67, 101	Dwg 70296	77
821-066CTU	67, 101	Dwg 70302	87
821-067C	67, 101	Dwg 70303	99
821-067CGL	67, 101	Dwg 72620	45
821-067CQT	67, 101	Dwg 72621	35, 37
821-067CTU	67, 101	Dwg 72838	47
821-070C	67, 101	dwg13692	23, 93
821-070CGL	67, 101	dwg16173	21
821-070CQT	67, 101	dwg24764	55, 89
821-070CTU	67, 101	dwg24765	61
821-080C	67, 101	dwg30699	9
821-080CGL	67, 101	dwg30702	57
821-080CQT	67, 101	dwg30705	11
821-080CTU	67, 101	dwg35486	49
822-091C	35, 37, 85	dwg35487	51
822-092C	35, 37, 85	N/A	13, 15, 17, 41, 63, 65, 99
822-100C	17		
826-151C	17, 19		
826-152C	17, 21		
826-377C	15, 17, 27, 79, 97		
826-490C	15, 17, 27, 79, 97		
826-578C	19		
826-579C	21		
826-648C	15, 17		



Great Plains Manufacturing, Inc.

Corporate Office: P.O. Box 5060
Salina, Kansas 67402-5060 USA

www.landpride.com
